

# *Bridgeview Manufacturing LLC (2011 Model)*

## Flat Rate Service Manual

\*\* All Bridgeview units have 3.0 hours built into the Dealers Cost for PDI, This PDI consist of Installing all ceiling fans, a review and set up of all loose shipped parts, removal of all shipping blocking and bracing materials and a complete systems review and set-up. The dealer is responsible to note any defect in material at the point of delivery on the IVR:

<b>Exterior of Coach</b>					
<b>Tacking Code</b>	<b>Status</b>	<b>Description</b>	<b>Alloted Time</b>	<b>Pic Required</b>	<b>Return Parts</b>
<b>Aluminum and Trims</b>					
EXT101	R&R	Replace Aluminum	Per Claim	Yes	No
EXT101	R&R	Slide Out Trim	Per Claim	Yes	No
<b>Roof Vents and Skylights</b>		<b>Description</b>			
EXT101	R&R	Replace Vent	0.5	Yes	Yes
EXT101	R&R	Crank Handle	0.1	No	No
EXT101	R&R	Dome Replace	0.2	No	No
EXT101	R&R	Garnish	0.2	No	No
EXT101	R&R	Lift (Scissor Style)	0.2	Yes	Yes
EXT101	R&R	Screen	0.1	No	No
EXT101	R&R	Re-Seal New Vent	0.2	No	No
<b>Power Roof Vent (Fantastic Vent)</b>		<b>Description</b>			
EXT101	R&R	Three Speed Switch	0.3	No	No
EXT101	R&R	Dome Replace	0.2	Yes	No
EXT101	R&R	Dome Switch	0.2	Yes	No
EXT101	R&R	Fan Motor	0.3	Yes	No
EXT101	R&R	Replace Power Vent Complete	0.7	Yes	Yes
EXT101	R&R	Interior Garnish	0.2	Yes	No
EXT101	R&R	Lift (Scissor Syle)	0.2	Yes	Yes
EXT101	R&R	Re-Seal New Vent	0.2	Yes	Yes
<b>Rubber Roof:</b>		<b>Description</b>			
EXT101	R&R	Front Roof Moldings	0.4	Yes	Yes
EXT101	R&R	Rear Roof Moldings	0.4	Yes	Yes
EXT101	R&R	Replace Rubber Roof Complete	Per Claim	Yes	Yes
EXT101	R&R	Side Roof Moldings	0.3	Yes	Yes
EXT101	R&R	Repair Roof (Spot as needed)	0.4	Yes	Yes
EXT101	R&R	Re-Seal Entire Roof	Call	Yes	Yes
EXT101	R&R	Repair Slide Outs or Push Outs	Call	Yes	Yes
EXT101	R&R	Repair Flap Molding (Flashing)	0.3	Yes	Yes
EXT101	R&R	Re-Seal Front Roof Molding	0.2	Yes	Yes
EXT101	R&R	Re-Seal Rear Roof Molding	0.2	Yes	Yes
EXT101	R&R	Re-Seal Side Roof Moldings	0.2	Yes	Yes
EXT101	R&R	Replace Roof Decking	BID	Yes	Yes
<b>Skylights:</b>					
EXT101	R&R	Replace Skylight Complete	0.5	Yes	Yes
EXT101	R&R	Replace Interior Garnish	0.2	No	No
EXT101	R&R	Replace Skylight Dome	0.2	Yes	Yes
EXT101	R&R	Re-Seal Skylight	0.2	No	No
EXT101	R&R	Remove Clean and Replace Skylight	0.6	Yes	Yes

<b>Exterior of Coach Continued;</b>					
<u>Tracking Code</u>	<u>Status</u>	<u>Description</u>	<u>Alloted Time</u>	<u>Pic. Required</u>	<u>Return Parts</u>
<b>Windows;</b>					
EXT101	R&R	Crank Handles	0.1	No	No
EXT101	R&R	Window Complete Replacement	0.75	X	X
EXT101	R&R	Window Complete Replacement (Screen Only)	0.2	X	No
EXT101	R&R	Knob or Handle	0.2	X	No
EXT101	R&R	Re-Seal Window	0.2	X	No
<b>Doors and Access</b>					
EXT101	R&R	Entry Door Complete	1	X	Yes
EXT101	R&R	Entry Door Replace Hinges	0.3	X	Yes
EXT101	R&R	Entry Door Replace Catch	0.2	X	No
EXT101	R&R	Entry Door Replace Lock	0.3	X	Yes
EXT101	R&R	Entry Door Screw Covers	0.2	X	No
EXT101	R&R	Entry Door Weather Striping	0.2	X	No
EXT101	R&R	EntryDoor Replace Window	0.3	X	Yes
EXT101	R&R	Replace Screen (Entry Door)	0.3	X	Yes
EXT101	R&R	Screen Door Replace Hinge	0.2	No	No
EXT101	R&R	Stryker Plate	0.1	No	No
EXT101	R&R	Replace Grab Handle	0.2	X	Yes
EXT101	R&R	Re-Seal Entry Door	0.2	No	No
EXT101	R&R	Re-Seal Entry Door Screen	0.1	No	No
EXT101	R&R	Adjust Stryker Plate	0.1	No	No
EXT101	R&R	Re-Seal Entry Door Lock	0.1	No	No
<b>Doors - Compartment:</b>					
EXT101	R&R	Replace Compartment Door Complete	0.4	X	Yes
EXT101	R&R	Compartment Door Catch	0.1	X	No
EXT101	R&R	Compartment Door Key Lock	0.2	X	Yes
EXT101	R&R	Compartment Door Replace Hinge	0.1	No	No
EXT101	R&R	Re Seal Compartment Door	0.1	No	No
EXT101	R&R	Compartment Door	0.2	No	No
<b>Doors Access:</b>					
EXT101	R&R	City Water Connect	0.3	X	No
EXT101	R&R	Gravity Water Fill	0.2	X	No
EXT101	R&R	Power Cord Door (Complete)	0.2	X	No
EXT101	R&R	Power Cord Hatch (Complete)	0.3	X	No
EXT101	R&R	Sanitube and Hatch	0.3	X	No
EXT101	R&R	Adjust any access door	0.2	X	No
EXT101	R&R	Adjust Front stone guard	0.2	X	No
EXT101	R&R	Re-Seal any access door	0.1	X	No
EXT101	R&R	Furnace Door	0.2	X	No
EXT101	R&R	Battery Tray Door	0.2	X	No
EXT101	R&R	Rear Storage Compartment	0.3	X	No
EXT101	R&R	Replace Stone Guard	0.4	X	Yes
EXT101	R&R	Replace Furnace Door	0.3	X	Yes
EXT101	R&R	Replace Battery Door	0.3	X	Yes
EXT101	R&R	Replace Power cord	0.3	X	Yes

**Exterior Of Coach Continued;**

<u>Tracking Code</u>	<u>Status</u>	<u>Description</u>	<u>Alloted Time</u>	<u>Pic. Required</u>	<u>Return Parts</u>
<b>Slide Out System</b>					
EXT102	R&R	Bottom Slide Seal	0.4	Yes	No
EXT102	R&R	Slide Side Seal	0.4	Yes	No
EXT102	R&R	Top Seal	0.4	Yes	No
EXT102	R&R	Bulb Seal	0.5	Yes	No
EXT102	R&R	Inner Slide Tube	0.75	Yes	No
EXT102	R&R	Power Unit (Motor R&R)	0.5	Yes	No
EXT102	R&R	Repair Slide Outs Roof	BID	Yes	No
EXT102	R&R	Repair Slide Outs Rollers	BID	Yes	No
<b>Tongue Jacks (Manual);</b>					
EXT102	R&R	Complete Jacks (Bolt On)	0.5	Yes	No
EXT102	R&R	Complete Jacks (Weld On)	0.75	Yes	No
EXT102	R&R	Cover	0.2	Yes	No
EXT102	R&R	Handle	0.2	Yes	No
EXT102	R&R	Power Jacks Complete Jack	0.4	Yes	No
EXT102	R&R	Power Jacks (Cover)	0.4	Yes	No
EXT102	R&R	Power Jacks (Motor)	0.3	Yes	No
EXT102	R&R	Power Jacks (Switch)	0.2	Yes	No
<b>Wheels and Tires;</b>					
EXT102	R&R	Spare Tire Carrier	0.3	Yes	No
EXT102	R&R	Tire (R&R Wheel)	0.3	Yes	Yes
EXT102	R&R	Wheel Hub Center	0.1	Yes	Yes
<b>Awnings;</b>					
EXT102	R&R	Mount Awning Complete	1.25	Yes	Yes
EXT102	R&R	Awning Roof Molding	0.5	Yes	No
EXT102	R&R	Roller Tube Assembly	1.5	Yes	No
EXT102	R&R	End Support Bracket	0.4	Yes	Yes
EXT102	R&R	Fabric	0.5	Yes	Yes
EXT102	R&R	Replace all Hardware	0.5	Yes	Yes
EXT102	R&R	Inner Arm	0.2	Yes	No
EXT102	R&R	Lift Handle	0.2	Yes	No
EXT102	R&R	Main Rafter	0.2	Yes	No
EXT102	R&R	Outer Arm	0.3	Yes	Yes
EXT102	R&R	Rafter Knob	0.2	Yes	Yes
EXT102	R&R	Roller Tube Assembly	0.2	Yes	Yes
EXT102	R&R	Roller Cover	0.75	Yes	Yes
EXT102	R&R	Roller Tube Assembly	0.2	Yes	No
EXT102	R&R	Slider Catch	0.2	Yes	Yes
EXT102	R&R	Socket Assembly	0.75	Yes	Yes
EXT102	R&R	Torsion Assembly	0.5	Yes	Yes
EXT102	R&R	Torsion Cam Lock	0.5	Yes	Yes
EXT102	R&R	Torsion Spring	0.35	Yes	Yes
EXT102	R&R	Adjust Awning	0.2	Yes	Yes
EXT102	R&R	Re-Seal Awning	0.2	Yes	Yes

<b>Exterior of Coach (Continued):</b>					
<b>Roof Airconditioner;</b>					
<b>Tracking Code</b>	<b>Status</b>	<b>Description</b>	<b>Alloted Time</b>	<b>Pic. Required</b>	<b>Return Parts</b>
<b>Roof Airconditioner;</b>					
EXT102	R&R	Base Pan	2	Yes	Yes
EXT102	R&R	Cold Control	0.5	Yes	Yes
EXT102	R&R	Compressor	2.5	Yes	Yes
EXT102	R&R	Condensor and Evaporator Motor	1.25	Yes	Yes
EXT102	R&R	Condensor Fan Blade and Wheel	1.25	Yes	Yes
EXT102	R&R	Condensor Motor	2.5	Yes	Yes
EXT102	R&R	Drip Tray	1.5	Yes	Yes
EXT102	R&R	Evap Blower Wheel	1.25	Yes	Yes
EXT102	R&R	Evap Motor	2.25	Yes	Yes
EXT102	R&R	Fan Capacitor	0.5	Yes	Yes
EXT102	R&R	Leak Discharger	2	Yes	Yes
EXT102	R&R	Leak Evap Line	2.5	Yes	Yes
EXT102	R&R	Leak Suction Line	2	Yes	Yes
EXT102	R&R	Leak Capillary line	2.25	Yes	Yes
EXT102	R&R	Leak Condensor Coil	2.25	Yes	Yes
EXT102	R&R	Module Board Main	1	Yes	Yes
EXT102	R&R	Reversing Valve	2.25	Yes	Yes
EXT102	R&R	Roof AC Complete	1	Yes	Yes
EXT102	R&R	Roof AC Gasket Only	0.5	Yes	Yes
EXT102	R&R	Run Capacitor	0.5	Yes	Yes
EXT102	R&R	Selector Switch	0.5	Yes	Yes
EXT102	R&R	Shroud	0.4	Yes	No
EXT102	R&R	Relay Capacitor	0.5	Yes	Yes
EXT102	R&R	Thermostat	0.5	Yes	Yes
EXT102	R&R	Wall Heat Cool Thermostat	0.5	Yes	Yes
EXT102	R&R	Repair AC Duct work	BID	Yes	No
<b>TV , Antenna, Coax;</b>					
EXT102	R&R	Coax End	0.1	Yes	No
EXT102	R&R	Cable Inlet	0.3	Yes	No
EXT102	R&R	TV Antenna	1	Yes	No
EXT102	R&R	TV Antenna Base Plate	1	Yes	No
EXT102	R&R	TV Antenna Booster	0.5	Yes	No
EXT102	R&R	TV Antenna Directional Handle	0.3	Yes	No
EXT102	R&R	TV Antenna Gear Housing	0.5	Yes	No
EXT102	R&R	TV Antenna Head Only	0.5	Yes	No
EXT102	R&R	TV Antenna Lift Arms	0.5	Yes	No
EXT102	R&R	TV Antenna Lift Gears	0.5	Yes	No
EXT102	R&R	TV Antenna Crank Handle	0.2	Yes	No
EXT102	R&R	Repair TV Antenna Coax	0.4	Yes	No
EXT102	R&R	Re-Seal Park Cable Inlet	0.1	Yes	No
EXT102	R&R	Re-Sea TV Antenna	0.2	Yes	No

**Exterior Of Coach (Continued)**

<u>Tracking Code</u>	<u>Status</u>	<u>Description</u>	<u>Alloted Time</u>	<u>Pic Required</u>	<u>Return Parts</u>
<b>12 Volt Exterior;</b>					
EXT 103	R&R	12 V Battery	0.2	No	Yes
EXT 103	R&R	Battery Box	0.2	Yes	Yes
EXT 103	R&R	Break-a-way Switch	0.2	Yes	Yes
EXT 103	R&R	Clearance Light	0.2	Yes	Yes
EXT 103	R&R	Clearance Light Bulb	N/A	N/A	N/A
EXT 103	R&R	Clearance Light Lens	N/A	N/A	N/A
EXT 103	R&R	Hitch Light	0.2	0.2	0.2
EXT 103	R&R	Hitch Light Bulb	N/A	N/A	N/A
EXT 103	R&R	Hitch Light Lens	N/A	N/A	N/A
EXT 103	R&R	In Line Fuse or Circuit Breaker	0.2	0.2	0.2
EXT 103	R&R	Replace Tail Light Assembly	0.3	Yes	Yes
EXT 103	R&R	Replace Tail Light Lens	N/A	N/A	N/A
EXT 103	R&R	Replace Tail Light Bulb	N/A	N/A	N/A
EXT 103	R&R	Power Cord	0.2	Yes	No
EXT 103	R&R	Re-Seal Exterior Lights	0.1	Yes	No
<b>110 Volt Exterior;</b>					
EXT 103	R&R	Exterior GFI	0.3	No	No
EXT 103	R&R	Exterior GFI (Cover)	0.1	Yes	No
EXT 103	R&R	Repair 110 Power Cord	0.3	Yes	No
EXT 103	R&R	Repair 110 V Exterior Wiring	0.1	Yes	No
EXT 103	R&R	Re-Seal GFI	0.1	Yes	No
<b>LP Gas System;</b>					
EXT 103	R&R	Re Align Exterior Doors	0.3	Yes	No
EXT 103	R&R	Plastic Tank Cover (Install)	0.2	Yes	No
EXT 103	R&R	DOT Cylinder	0.2	No	No
EXT 103	R&R	LP Detector	0.2	No	No
EXT 103	R&R	LP Hose (Must do Leak Test Included)	0.35	No	No
EXT 103	R&R	LP Regulator	0.4	Yes	Yes
EXT 103	R&R	LP Tray	0.4	Yes	Yes
EXT 103	R&R	Repair LP System	0.5	Yes	No
<b>Chassis / Bumper;</b>					
EXT 103	R&R	Install Bumper (Weld)	BID	N/A	N/A
EXT 103	R&R	Bumper Cap	0.3	Yes	No
EXT 103	R&R	Stabalizer Jacks (ea) Bolt On	0.2	Yes	No
EXT 103	R&R	Repair Under Belly	0.3	Yes	No
EXT 103	R&R	Re-Paint Frame	BID	Yes	No
EXT 103	R&R	Re-Paint Tongue	0.4	Yes	No
<b>Entry Step;</b>					
EXT 103	R&R	Install Entry Step	0.4	Yes	Yes
EXT 103	R&R	Repair Entry Step	0.3	Yes	No
EXT 103	R&R	Repaint Entry Step	0.2	Yes	No
EXT 103	R&R	Re-Lubricate	0.1	No	Np
EXT 103	R&R	Re-Align	0.2	Yes	No
EXT 103	R&R	Intall New Tread Tape	0.1	N/A	N/A

**Exterior of Coach (Continued):**

<b>Coupler:</b>					
<b>Tracking Code</b>	<b>Status</b>	<b>Description</b>	<b>Alloted Time</b>	<b>Pic Required</b>	<b>Return Parts</b>
<b>Axles, Suspension, R7R Wheel Included;</b>					
EXT 103	R&R	Axle Assembly (Complete)	1.2	Yes	Yes
EXT 103	R&R	Brake Shoes (2)	.35 ea / .70	Yes	Yes
EXT 103	R&R	Brake Assembly	.35 ea / .70	Yes	Yes
EXT 103	R&R	Brake Drum Assembly	0.4	Yes	No
EXT 103	R&R	Brake Magnut (Ea.Wheel)	0.6	Yes	Yes
EXT 103	R&R	Hub Complete	0.2	Yes	No
EXT 103	R&R	Wheel Bearings (Ea Wheel)	0.3	Yes	Yes
EXT 103	R&R	Lug Stud	0.2	Yes	No
EXT 103	R&R	Spring	0.4	Yes	No
EXT 103	R&R	Spring Hangers (ea.)	0.4	Yes	No
EXT 103	R&R	Equalizer	0.4	Yes	No
EXT 103	R&R	Leaf Springs	0.4	Yes	No
EXT 103	R&R	Repair Break Wiring	0.4	Yes	No
<b>Coupler and Landing Gear:</b>					
EXT 103	R&R	Complete Coupler	1.4	Yes	Yes
EXT 103	R&R	Coupler Latch	1	Yes	Yes
EXT 103	R&R	Pin Box	BID	Yes	Yes
EXT 103	R&R	Safety Chain	0.1	Yes	Yes
EXT 103	R&R	Bevel Gears	0.7	Yes	Yes
EXT 103	R&R	Legs	0.2	Yes	Yes
EXT 103	R&R	CAP	0.2	Yes	Yes
EXT 103	R&R	Gear Box	0.5	Yes	Yes
EXT 103	R&R	Motor	0.5	Yes	Yes
EXT 103	R&R	Motor Switch	0.2	Yes	Yes
<b>Fresh Water and Drainage:</b>					
EXT 103	R&R	City Water Connect	0.3	Yes	No
EXT 103	R&R	Fresh Water Fill Hose	0.3	Yes	No
EXT 103	R&R	Fresh Water Tank	1	Yes	No
EXT 103	R&R	Vent Hose	0.2	Yes	No
EXT 103	R&R	Water Pump	0.5	Yes	No
EXT 103	R&R	Water Pump Filter	0.3	Yes	No
EXT 103	R&R	Water Supply Line	0.4	Yes	No
EXT 103	R&R	Repair Fresh Water Lines	BID	Yes	No
EXT 103	R&R	Repair Fresh Water Tank	BID	Yes	No
EXT 103	R&R	Black Water Tank Repair	1	Yes	No
EXT 103	R&R	Grey Water Tank	1	Yes	No
EXT 103	R&R	Mechanical Vent	0.2	Yes	No
EXT 103	R&R	Sewer Vent	0.2	Yes	No
EXT 103	R&R	Termination Valve	0.4	Yes	No
EXT 103	R&R	Valve Cables	0.2	Yes	No
EXT 103	R&R	Repair Drain Line	0.5	Yes	No
EXT 103	R&R	Repair Grey Water Tank	0.5	Yes	No
EXT 103	R&R	Repair Ventilation Lines	0.5	Yes	No

<b>Interior Components;</b>					
<u>Tracking Code</u>	<u>Status</u>	<u>Description</u>	<u>Alloted Time</u>	<u>Pic Required</u>	<u>Return Part</u>
<b>Toilet and Bath;</b>					
INT-277	R&R	Toilet Flange R&R and Re-Seal	0.5	Yes	No
INT-277	R&R	Ball Valve	0.5	Yes	No
INT-277	R&R	Float and Seal	0.3	Yes	No
INT-277	R&R	Flush Levers	0.3	Yes	No
INT-277	R&R	Seat and Cover	0.2	Yes	No
INT-277	R&R	Replace Toilet Complete	0.6	Yes	No
INT-277	R&R	Reseal Sink	0.1	Yes	No
INT-277	R&R	Bath Faucet	0.4	Yes	Yes
INT-277	R&R	Replace Handles	0.1	Yes	Yes
INT-277	R&R	Stem and Bonnet	0.2	Yes	No
INT-277	R&R	P Trap	0.3	Yes	No
INT-277	R&R	Replace Bath Sink	0.4	Yes	Yes
INT-277	R&R	Bi-Fold Shower	0.4	Yes	Yes
INT-277	R&R	Shower Door Track Top	0.2	Yes	Yes
INT-277	R&R	Shower Door Track Bottom	0.2	Yes	Yes
INT-277	R&R	Shower Door Hold Back	0.2	Yes	Yes
INT-277	R&R	Re-Seal Door and Magnetic Seal	0.2	Yes	Yes
INT-277	R&R	Handles	0.1	Yes	Yes
INT-277	R&R	Install Glass Shower Door Complete	1	Yes	Yes
INT-277	R&R	Shower Head	0.1	Yes	Yes
INT-277	R&R	Shower Hose	0.1	Yes	Yes
INT-277	R&R	Shower Hose Guide	0.2	Yes	Yes
INT-277	R&R	Shower P Trap	0.3	Yes	No
INT-277	R&R	Adjust Shower Door	0.2	Yes	No
INT-277	R&R	Re-Seal Garden Tub	0.1	Yes	No
INT-277	R&R	Re-Door	0.1	Yes	No
INT-277	R&R	Re-Seal Surround	0.2	Yes	No
<b>Kitchen and Appliances;</b>					
INT-277	R&R	Microwave	0.3	Yes	Yes
INT-277	R&R	Microwave Trim Kit	0.2	Yes	Yes
INT-277	R&R	Exterior Range Vent	0.3	Yes	No
INT-277	R&R	Fan Blade	0.2	Yes	No
INT-277	R&R	Fan Motor	0.3	Yes	No
INT-277	R&R	Range Hood	0.4	Yes	No
INT-277	R&R	Range Hood Switch	0.2	Yes	No
INT-277	R&R	Filter	0.2	Yes	No
INT-277	R&R	ReSeal Exterior Range Vent	0.1	Yes	No
INT-277	R&R	Oven Burner	0.3	Yes	Yes
INT-277	R&R	Oven Door	0.3	Yes	Yes
INT-277	R&R	Safety Valve, Regulator, and Thermostat	.5 ea.	Yes	Yes
INT-277	R&R	Replace Range Top	0.5	Yes	Yes
INT-277	R&R	Oven Light	0.2	Yes	No
INT-277	R&R	Top Burner Asembly	0.5	Yes	Yes
INT-277	R&R	Range Complete	1	Yes	Yes
INT-277	R&R	Range / Oven Complete	1	Yes	Yes

<b>Interior Components (Continued)</b>					
<u>Tracking Code</u>	<u>Status</u>	<u>Description</u>	<u>Allotted Time</u>	<u>Pic Required</u>	<u>Return Part</u>
<b>Kitchen Continued (Doors and Trim)</b>				Yes	No
INT-277	R&R	Caulk Cabinets	0.3	Yes	No
INT-277	R&R	Replace Cabinet Door	0.3	Yes	No
INT-277	R&R	Cabinet Door Catch	0.1	Yes	No
INT-277	R&R	Cabinet Door Hinge (Replace Pair)	0.1	Yes	No
INT-277	R&R	Cabinet Door Handle (Pull)	0.1	Yes	No
INT-277	R&R	Cabinet Door Strut (Pair)	0.2	Yes	No
INT-277	R&R	Cabinet End Panel	0.25	Yes	No
INT-277	R&R	Cabinet Stile	BID	Yes	No
INT-277	R&R	Drawer Front	0.25	Yes	No
INT-277	R&R	Drawer Glide (Pair)	0.2	Yes	No
INT-277	R&R	Folding TV Shelf	0.2	Yes	No
INT-277	R&R	Kitchen Counter Top	BID	Yes	No
INT-277	R&R	Insert Panel	0.2	Yes	No
INT-277	R&R	Bath LAV Top	BID	Yes	No
INT-277	R&R	Medicine Cab Door Only	0.2	Yes	No
INT-277	R&R	Adjust Drawers	0.2	Yes	No
INT-277	R&R	All other Cabinets, Drawers, Chests, As BID	BID	Yes	No
<b>Interior Elec 12Volt:</b>					
INT-277	R&R	Double Pancake Light	0.2	Yes	Yes
INT-277	R&R	Single Pancake Light	0.2	Yes	Yes
INT-277	R&R	Ceiling Deco Light	0.2	Yes	Yes
INT-277	R&R	Wall Deco Light	0.2	Yes	Yes
INT-277	R&R	Intall Bulb and Lens (Included in the Above)	N/A	N/A	N/A
INT-277	R&R	Single Wall Mount Switch	0.2	No	No
INT-277	R&R	Double Wall Mount Switch	0.25	No	No
INT-277	R&R	Triple Wall Switch	0.3	No	No
INT-277	R&R	Slide Out Switch	0.3	Yes	Yes
INT-277	R&R	12 V Interior Breaker	0.2	Yes	No
<b>Power Converter:</b>					
INT-277	R&R	Replace Power Conv. Complete	1	Yes	Yes
INT-277	R&R	Lower Section Conv.	0.5	Yes	Yes
INT-277	R&R	Fuse Block	0.5	Yes	No
INT-277	R&R	Fan Motor	0.8	No	No
INT-277	R&R	Fan Thermostat	0.8	Yes	No
INT-277	R&R	Charger Board	0.8	Yes	No
INT-277	R&R	Diode	0.8	Yes	No
INT-277	R&R	110 Circuit Breaker	0.2	Yes	No
INT-277	R&R	Replace GFI	0.2	Yes	No
INT-277	R&R	Repair 12V Interior Wiring	0.4	Yes	No
INT-277	R&R	Repair 110 Wiring	0.2	Yes	No
INT-277	R&R	Replace Monitor Panel	0.4	Yes	Yes
INT-277	R&R	Replace Monitor Panel Circuit Board	0.2	Yes	Yes
INT-277	R&R	Replace Monitor Panel Switch	0.2	Yes	Yes
INT-277	R&R	Sensor Probe Pods	0.2	Yes	Yes
INT-277	R&R	Install Rubber Grommet Sensor	0.2	Yes	Yes

**Interior Components (Continued) ;**

<u>Tracking Code</u>	<u>Status</u>	<u>Description</u>	<u>Alloted Time</u>	<u>Pic Required</u>	<u>Return Part</u>
<b>Interior Doors;</b>					
INT-278	R&R	Bi Fold Doors Complete	0.3	Yes	No
INT-278	R&R	Bi-Fold Top Track	0.2	Yes	No
INT-278	R&R	Bi-Fold Top Latch	0.2	Yes	No
INT-278	R&R	Complete Molding Install	0.2	Yes	No
INT-278	R&R	Passage Door (Complete with Lock)	0.3	Yes	No
INT-278	R&R	Passage Door (Hinge)	0.2	Yes	No
INT-278	R&R	Passage Door (Lock)	0.2	Yes	No
INT-278	R&R	Passage Door Top Trim	0.1	Yes	No
INT-278	R&R	Sliding Bedroom Door Guide	0.1	Yes	No
INT-278	R&R	Sliding Bedroom Door Strap	0.1	Yes	No
INT-278	R&R	Sliding Bedroom Door Track	0.3	Yes	No
INT-278	R&R	Sliding Bedroom Door	0.3	Yes	No
INT-278	R&R	Re-Align Passage Door	0.2	Yes	No
<b>Flooring;</b>					
INT-278	R&R	Carpet	BID	Yes	No
INT-278	R&R	Clean Carpet	BID	Yes	No
INT-278	R&R	Linoleum Repair	BID	Yes	No
INT-278	R&R	Clean Carpet	BID	Yes	No
INT-278	R&R	Repair Flawed Carpet	BID	Yes	No
<b>Interior Misc;</b>					
INT-278	R&R	Entry Door Soft Trim	0.1	Yes	No
INT-278	R&R	Smoke Detector	0.1	Yes	No
INT-278	R&R	CO2 Detector	0.2	Yes	No
INT-278	R&R	Fire Ext.	0.2	Yes	No
INT-278	R&R	Duct Vents	0.2	Yes	No
INT-278	R&R	Toilet Paper Holders	INCL PDI	Yes	No
INT-278	R&R	Towel Holder	INCL PDI	Yes	No
INT-278	R&R	Ceiling Fan	INCL PDI	Yes	No
INT-278	R&R	Ceiling Fan Switch	0.3	Yes	No
INT-278	R&R	Replace single blade ceiling fan	0.1	Yes	No
INT-278	R&R	Intall Phone Jack	0.3	Yes	No
INT-278	R&R	Ceiling Batten	0.2	Yes	No
INT-278	R&R	Ceiling Panel	BID	Yes	No
INT-278	R&R	Floor Molding	0.2	Yes	No
INT-278	R&R	Crown	BID	Yes	No
INT-278	R&R	Other Trims	BID	Yes	No
INT-278	R&R	Repair Wall Panel	BID	Yes	No
INT-278	R&R	Repair Misc Trim	BID	Yes	No
INT-278	R&R	Boarders	BID	Yes	No
INT-278	R&R	Valance / Lambrequin	0.2	Yes	No
INT-278	R&R	Curtains (Pair)	0.2	Yes	Yes
INT-278	R&R	HeadBoard	0.2	Yes	No
INT-278	R&R	Day Night Shade (Replace)	0.2	Yes	Yes
INT-278	R&R	Day Night Shade (re-align)	INCL PDI	Yes	No
INT-278	R&R	Install Tie Backs	0.1	No	No

### **Interior Components (Continued)**

<b><u>Tracking Code</u></b>	<b><u>Status</u></b>	<b><u>Description</u></b>	<b><u>Alloted Time</u></b>	<b><u>Pic Required</u></b>	<b><u>Return Part</u></b>
<b><u>Sofa / Chair / Dinette:</u></b>					
INT-279	R&R	Sofa Replace	0.4	Yes	Yes
INT-279	R&R	Sofa Kick Panel	0.1	Yes	No
INT-279	R&R	Sofa Button	0.1	Yes	No
INT-279	R&R	Sofa (Sewing Issue)	BID	Yes	No
INT-279	R&R	Soft Touch Chair	0.1	Yes	No
INT-279	R&R	Free Standing Chair	0.1	Yes	No
INT-279	R&R	Back Panel (Dinette)	0.2	Yes	No
INT-279	R&R	Bed Rail Support (Dinette)	0.1	Yes	No
INT-279	R&R	Replace Boomerang	.15 ea.	Yes	No
INT-279	R&R	Replace Kick Panel	0.2	Yes	No
INT-279	R&R	Replace Pedestal Base	0.1	Yes	No
INT-279	R&R	Replace Plywood Seat	0.2	Yes	No
INT-279	R&R	Replace Table	0.25	Yes	No
INT-279	R&R	Replace Cushions	0.2	Yes	No
INT-279	R&R	Repaid Damage	BID	Yes	No
<b><u>Beds and Mattress:</u></b>					
INT-279	R&R	Bed Strut	0.1	Yes	No
INT-279	R&R	Bed Strut Bracket	0.2	Yes	No
INT-279	R&R	Replace Mattress	0.2	Yes	No
INT-279	R&R	Repaid Headboard	0.15	Yes	No
INT-279	R&R	Replace Headboard	0.2	Yes	No
INT-279	R&R	Install Bed Box	INCL PDI	Yes	No
INT-279	R&R	Bed Spread	0.1	Yes	No
INT-279	R&R	Assemble Bed	INCL PDI	Yes	No
<b><u>Radios, TV's and Electronics:</u></b>					
INT-280	R&R	Radio Antenna Lead Only	0.3	Yes	No
INT-280	R&R	Radio Antenna Mast	0.2	Yes	No
INT-280	R&R	Radio CD	0.3	Yes	No
INT-280	R&R	Replace Speaker	0.15	Yes	No
INT-280	R&R	Add Speaker	0.2	Yes	No
INT-280	R&R	Speaker Grill Only	0.1	Yes	No
INT-280	R&R	Wall Mount Radio	0.3	Yes	Yes
INT-280	R&R	Repair Radio 12V	0.4	Yes	No
INT-280	R&R	Repair Radio Lead Cable	0.4	Yes	No
INT-280	R&R	Repair Speaker Wire (Extyerior)	0.4	Yes	No
INT-280	R&R	Install Surround Sound System (Ceiling Wolfer)	0.6	Yes	No
INT-280	R&R	Install exterior marine grade radio	0.6	Yes	No
INT-280	R&R	Install TV	INCL PDI	Yes	Yes
INT-280	R&R	Install Surround Sound System	INCL PDI	Yes	No
INT-280	R&R	R&R Sound Bar	0.3	Yes	Yes
INT-280	R&R	Install Sound Bar	0.3	Yes	No
INT-280	R&R	Install TV Jack	0.3	Yes	No
INT-280	R&R	Install Computer Jack	0.3	Yes	No

<b>Interior Components (Appliances)</b>					
<b>Tracking Code</b>	<b>Status</b>	<b>Description</b>	<b>Alloted Time</b>	<b>Pic. Required</b>	<b>Retunrn Part</b>
<b>Furnace:</b>					
INT-281	R&R	Furnace (With Leak Test)	1.1	Yes	Yes
INT-281	R&R	Replace Gas Valve (furnace)	0.7	Yes	Yes
INT-281	R&R	Manual Shut Off Valve	0.7	Yes	Yes
INT-281	R&R	Replace Main Burner	0.6	Yes	Yes
INT-281	R&R	Furnace Motor	1	Yes	Yes
INT-281	R&R	Blower (replace)	0.5	Yes	Yes
INT-281	R&R	Blower Wheel (replace)	0.5	Yes	Yes
INT-281	R&R	Time Delay Repay (Replace)	0.5	Yes	Yes
INT-281	R&R	Cumbustion Chamber	1.1	Yes	No
INT-281	R&R	Transformer	0.5	Yes	No
INT-281	R&R	Electrode	0.5	Yes	No
INT-281	R&R	Limit Switch	0.7	Yes	Yes
INT-281	R&R	Module Board	0.6	Yes	Yes
INT-281	R&R	Furnace Door	0.7	Yes	No
INT-281	R&R	Thermostat	0.4	No	No
INT-281	R&R	Repair Ductwork	BID	Yes	No
<b>Refridgerator:</b>					
INT-281	R&R	12 V Relay	1	Yes	No
INT-281	R&R	Broken Wire	0.7	Yes	No
INT-281	R&R	Burner Tube	0.7	Yes	No
INT-281	R&R	Replace Door	0.4	Yes	No
INT-281	R&R	Cooling Unit	2.5	Yes	No
INT-281	R&R	Door Gasket	0.5	Yes	No
INT-281	R&R	Door Handle	0.2	Yes	No
INT-281	R&R	Door Hinge	0.2	Yes	No
INT-281	R&R	Door Insert Panel (RV REFER)	0.3	Yes	No
INT-281	R&R	Exterior Refer Catch	0.2	Yes	No
INT-281	R&R	Replace Freezer Door	0.2	Yes	No
INT-281	R&R	Gas Shut off Valve	0.5	Yes	No
INT-281	R&R	Heater (Must Include Model and Serial Number)	0.6	Yes	No
INT-281	R&R	Lower PC Board	0.75	Yes	No
INT-281	R&R	Lower Power Module	0.75	Yes	No
INT-281	R&R	Re-Ignitor	1	Yes	No
INT-281	R&R	Safety Valve	1	Yes	No
INT-281	R&R	Solenoid Switch	0.8	Yes	No
INT-281	R&R	Power Switch	0.7	Yes	No
INT-281	R&R	Thermocoupler	0.7	Yes	No
INT-281	R&R	Thermostat	0.8	Yes	No
INT-281	R&R	Reseal Exterior Refer Door	0.1	Yes	No
INT-281	R&R	Reseal Exterior Refer Vent	0.1	Yes	No
INT-281	R&R	Install Refer Vent	0.3	Yes	No

**\*\* Notice when the disconnection of the PL System requires pressure testing, the time required to complete the repair includes and requires that each dealer pressure test each system after each repair.**

